

Atlantic Shores Bight Site Characterization Proposed IHA References

- Abend, A.G. and T.D. Smith. 1999. Review of the distribution of the long-finned pilot whale (*Globicephala melas*) in the North Atlantic and Mediterranean. In: US Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, and Northeast Fisheries Science Center. Volume 117. NOAA Technical Memorandum NMFS-NE-117. 1-22 p. <http://www.nefsc.noaa.gov/nefsc/publications/tm/tm117/tm117.pdf>.
- ANSI (American National Standards Institute). 1986. Methods of Measurement for Impulse Noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI. 2005. Measurement of Sound Pressure Levels in Air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York.
- Baird, R.W. and P.J. Stacey. 1991. Status of Risso's dolphin, *Grampus griseus*, in Canada. *Canadian Field- Naturalist* 105(2): 233-242.
- Barco, S.G., W.M. Swingle, R.N. Harris, and D.A. Pabst. 1999. Local abundance and distribution of bottlenose dolphins (*Tursiops truncatus*) in the nearshore waters of Virginia Beach, Virginia. *Marine Mammal Science* 15(2): 394-408.
- Barco, S.G., W.A. McLellan, J.M. Allen, R.A. Asmutis-Silvia, R. Mallon-Day, E.M. Meagher, D.A. Pabst, J. Robbins, R.E. Seton, W.M. Swingle, M.T. Weinrich and P.J. Clapham. 2002. Population identity of humpback whales (*Megaptera novaeangliae*) in the waters of the U.S. Mid-Atlantic states. *J. Cetacean Res. Manage.* 4(2): 135-141.
- Barlas, M.E. 1999. The distribution and abundance of harbor seals (*Phoca vitulina concolor*) and gray seals (*Halichoerus grypus*) in southern New England, winter 1998-summer 1999. PhD Thesis. Boston University.
- Bettridge, S., C.S. Baker, J. Barlow, P.J. Clapham, M. Ford, D. Gouveia, *et al.* 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. NOAA Technical Memorandum NMFS-SWFSC-540, National Marine Fisheries Service: 263.
- Biedron, I., N. Mihnovets, A. Warde, J. Michalec, C.W. Clark, C. Diamond, B. Estabrook, B. Howard, C. McCarthy, *et al.* 2009. Determining the seasonal distribution of cetaceans in New York coastal waters using passive acoustic monitoring. Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. 12-16 Oct 2009, Quebec City, Canada. p. 34.
- Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare. CABI Publishing, Oxon, United Kingdom.

BOEM (U.S. Department of the Interior, Bureau of Ocean Energy Management). 2012. Effects of Noise on Fish, Fisheries, and Invertebrates in the U.S. Atlantic and Arctic from Energy Industry Sound- Generating Activities, Literature Synthesis.

Bowers-Altman, J. and NJ Division of Fish and Wildlife. 2009. Species Status Review of Marine Mammals: Final Report. Report by the NJ Division of Fish and Wildlife, Endangered and Nongame Species Program.
https://www.state.nj.us/dep/fgw/ensp/pdf/marine_mammal_status_rppt.pdf.

Brown, D.M., J. Robbins, P.L. Sieswerda, R. Schoelkopf, and E.C.M. Parsons. 2017. Humpback whale (*Megaptera novaeangliae*) sightings in the New York-New Jersey harbor estuary. *Marine Mammal Science* 34(1): 250-257. <https://doi.org/10.1111/mms.12450>.

Brown, M.W., D. Fenton, K. Smedbol, C. Merriman, K. Robichaud-Leblanc, and J.D. Conway. 2009. Recovery Strategy for the North Atlantic Right Whale (*Eubalaena glacialis*) in Atlantic Canadian Waters [Final]. Species at Risk Act Recovery Strategy Series. Fisheries and Oceans Canada. 66 p.

Caldwell, D.K., and M.C. Caldwell. 1966. Observations on the distribution, coloration, behavior and audible sound production of the spotted dolphin, *Stenella plagiodon* (Cope). *Los Angeles County Museum Contribution to Science* 104: 1-28.

Carrillo, M., and F. Ritter. 2010. Increasing numbers of ship strikes in the Canary Islands: proposals for immediate action to reduce risk of vessel-whale collisions. *J. Cetacean Res. Manage.* 11:131–138.

CETAP (Cetacean and Turtle Assessment Program). 1982. A characterization of marine mammals and turtles in the mid- and north Atlantic areas of the U.S. outer continental shelf. Cetacean and Turtle Assessment Program, University of Rhode Island. Final Report #AA551-CT8-48 to the Bureau of Land Management, Washington, DC, 538 pp.

Christal, J., H. Whitehead and E. Lettevall. 1998. Sperm whale social units: variation and change. *Can. J. Zool.* 76: 1431–1440.

Clark, C.W. and G.C. Gagnon. 2002. Low-frequency vocal behaviors of baleen whales in the North Atlantic: Insights from IUSS detections, locations and tracking from 1992 to 1996. U.S. *Navy Journal of Underwater Acoustics* 52(3): 609-640.

Crocker, S.E., and F.D. Fratantonio. 2016. Characteristics of sounds emitted during high-resolution marine geophysical surveys. NUWC-NPT Technical Report 12,203, Naval Undersea Warfare Center Division: 265.

Curry, B.E. and J. Smith. 1997. Phylogeographic structure of the bottlenose dolphin (*Tursiops truncatus*): stock identification and implications for management. Pages 327-247 in: A.E. Dizon, S.J. Chivers and W.F. Perrin (eds.) *Molecular genetics of marine mammals*. Spec. Publ. 3, Society for Marine Mammalogy.

Curtice, C., J. Cleary, E. Shumchenia, and P.N. Halpin. 2019. Marine-life Data and Analysis Team (MDAT) Technical Report on the Methods and Development of Marine-life Data to Support Regional Ocean planning and Management. Report for the Marine-life Data and Analysis Team (MDAT). <http://seamap.env.duke.edu/models/MDAT/MDAT-Technical-Report.pdf>.

CWFNJ (Conserve Wildlife Foundation of New Jersey). 2015. Harbor Seals in New Jersey <https://www.arcgis.com/apps/MapJournal/index.html?appid=d2266f32c36449e0b9630453e56c3888&webmap=564588c5cff04fa990aab644400475f9>.

Davies, J.L. 1957. The Geography of the Gray Seal. *Journal of Mammalogy* 38(3): 297-310. <https://doi.org/10.2307/1376229>.

Davis, G.E., M.F. Baumgartner, J.M. Bonnell, J. Bell, C. Berchok, J.B. Thornton, S. Brault, G. Buchanan, R.A. Charif, D. Cholewiak, and C.W. Clark. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific reports*, 7(1), pp.1-12.

DiGiovanni, R., K. Durham, J. Wocial, R.D.V.M. Pisciotta, R.D.V.M. Hanush, A. Chaillet, A. Sabrosky, and R. Scott. 2005. Post Release Monitoring of a male Risso's dolphin (*Grampus griseus*) rehabilitated and released in New York waters. Abstract from the 16th Biennial Conference on the Biology of Marine Mammals, San Diego, CA.

Doksaeter, L., E. Olsen, L. Nottestad and A. Ferno 2008. Distribution and feeding ecology of dolphins along the mid-Atlantic Ridge between Iceland and the Azores. *Deep-Sea Res. II* 55:243–253.

DoN (Department of the Navy). 2005. Marine Resources Assessment for the Northeast Operating Areas: Atlantic City, Narragansett Bay, and Boston. Final Report. Contract Number N62470-02-D-9997, CTO 0018. Department of the Navy, US Fleet Forces Command, Norfolk, VA. Prepared by Geo-Marine, Inc., Newport News, VA. xvi + 535 pp.

Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* 26 (1): 21-28.

Engelhaupt, D., A.R. Hoelzel, C. Nicholson, A. Frantzis, S. Mesnick, S. Gero, H. Whitehead, L. Rendell, P. Miller, R. De Stefanis, A. Cañadas, S. Airolidi and A.A. Mignucci-Giannoni. 2009. Female philopatry in coastal basins and male dispersion across the North Atlantic in a highly mobile marine species, the sperm whale (*Physeter macrocephalus*). *Mol. Ecol.* 18:4193–4205.

Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *Journal of the Acoustical Society of America* 138(3): 1702-1726.

Fritts, T. H., A. B. Irvine, R. D. Jennings, L. A. Collum, W. Hoffman and M. A. McGehee. 1983. Turtles, birds, and mammals in the northern Gulf of Mexico and nearby Atlantic waters. U.S. Fish and Wildlife Service, Division of Biological Services, Washington, D.C., FWS/OBS-82/65, 455 pp.

Gannon, D.P. and D.M. Waples. 2004. Diets of coastal bottlenose dolphins from the U.S. Mid-Atlantic Coast differ by habitat. *Marine Mammal Science* 20(3): 527-545.

Garrison, L.P. and P.E. Rosel. 2017. Partitioning short-finned and long-finned pilot whale bycatch estimates using habitat and genetic information. Southeast Fisheries Science Center, Protected Resources and Biodiversity Division, 75 Virginia Beach Dr., Miami, FL 33140. PRBD Contribution # PRBD-2016-17. 24 pp.

Garrison, L.P., P.E. Rosel, A.A. Hohn, R. Baird and W. Hoggard. 2003. Abundance of the coastal morphotype of bottlenose dolphin *Tursiops truncatus*, in U.S. continental shelf waters between New Jersey and Florida during winter and summer 2002. NMFS/SEFSC report prepared and reviewed for the Bottlenose Dolphin Take Reduction Team. Available from: Southeast Fisheries Science Center, 75 Virginia Beach Dr., Miami, FL 33149.

Gaskin, D.E. 1977. Harbour porpoise, *Phocoena phocoena* (L.), in the western approaches to the Bay of Fundy 1969- 75. *Rep. Int. Whal. Comm.* 27: 487–492.

Gaskin, D.E. 1984. The harbor porpoise *Phocoena phocoena* (L.): Regional populations, status, and information on direct and indirect catches. *Rep. Int. Whal. Comm.* 34: 569–586.

Gaskin, D.E. 1992. The status of the harbour porpoise. *Can. Field-Nat.* 106: 36–54

Geo-Marine. 2009a. Marine mammal monitoring during geophysical surveys in support of the construction of a meteorological data collection facility for the Bluewater Delaware Offshore Wind Park (MMS Lease Block 6325): October 2009. Final summary report by Geo-Marine for Bluewater Wind, LLC.

Geo-Marine. 2009b. Marine mammal monitoring during geophysical surveys in support of the construction of a meteorological data collection facility for the Bluewater Delaware Offshore Wind Park (MMS Lease Block 6936): August 2009. Final summary report by Geo-Marine for Bluewater Wind, LLC.

Geo-Marine. 2010. Ocean/Wind Power Ecological Baseline Studies: January 2008 – December 2009. Final Report. Volume III: Marine Mammal and Sea Turtle Studies. Report by Geo-Marine, Inc. for the New Jersey Department of Environmental Protection, Office of Science. <https://tethys.pnnl.gov/sites/default/files/publications/Ocean-Wind-Power-Baseline-Volume3.pdf>.

Gilbert, J.R., G.T. Waring, K.M. Wynne and N. Guldager. 2005. Changes in abundance and distribution of harbor seals in Maine, 1981-2001. *Marine Mammal Science* 21(3): 519–535.

Greene, C.R., and W.J. Richardson. 1988. Characteristics of marine seismic survey sounds in the Beaufort Sea. *Journal of the Acoustical Society of America* 83 (6): 2246-2254.

Gowans, S. and H. Whitehead. 1995. Distribution and habitat partitioning by small odontocetes in the Gully, a submarine canyon on the Scotian Shelf. *Can. J. Zool.* 73: 1599–1608.

Hain, J.H.W., M.J. Ratnaswamy, R.D. Kenney, and H.E. Winn. 1992. The fin whale, *Balaenoptera physalus*, in waters of the northeastern United States continental shelf. *Reports of the International Whaling Commission* 42:653B669.

Hamazaki, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, USA to Nova Scotia, Canada). *Marine Mammal Science* 18(4): 920-939. <https://doi.org/10.1111/j.1748-7692.2002.tb01082.x>.

Harris, C.M., ed. 1998. Handbook of Acoustical Measurements and Noise Control. Acoustical Society of America, Woodbury, NY.

Hastings, M.C., and A.N. Popper. 2005. Effects of sound on fish. Prepared by Jones & Stokes for the California Department of Transportation: 82.

Hatch, J.M. and C.D. Orphanides. 2017. Estimates of cetacean and pinniped bycatch in the 2015 New England sink and mid-Atlantic Gillnet fisheries. Northeast Fish Sci Cent Ref Doc 17-18: 21.

Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2018. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2017 (second edition). NOAA Technical Memorandum NMFS-NE-245, Woods Hole, MA, USA. 371.

Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2019. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2018. NOAA Technical Memorandum NMFS-NE-258, Woods Hole, MA, USA. 298 p.

Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2020. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments: 2019. NOAA Technical Memorandum NMFS-NE-264, National Marine Fisheries Service: 479.

Hayes, S.A., E. Josephson, K. Maze-Foley, P.E. Rosel, and J. Turek (eds). 2021. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments: 2020. NOAA Technical Memorandum NMFS-NE-271, National Marine Fisheries Service: 403.

Hemila, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *Journal of the Acoustical Society of America* 120 (6): 3463-3466.

- Hersh, S.L. and D.A. Duffield. 1990. Distinction between northwest Atlantic offshore and coastal bottlenose dolphins based on hemoglobin profile and morphometry. Pages 129–139 in: S. Leatherwood and R.R. Reeves (eds.) *The bottlenose dolphin*. Academic Press, San Diego. 653 pp.
- Jacobs, S.R. and J.M. Terhune. 2000. Harbor seal (*Phoca vitulina*) numbers along the New Brunswick coast of the Bay of Fundy in autumn in relation to aquaculture. *Northeast. Nat.* 7:289–296.
- Jefferson, T.A., M.A. Webber, and R.L. Pitman. 2008. *Marine Mammals of the World: A Comprehensive Guide to Their Identification*. Amsterdam: Elsevier. 573 pp. London, UK: Elsevier.
- Jefferson, T.A., C.R. Weir, R.C. Anderson, L.T. Ballance, R.D. Kenney, and J.J. Kiszka. 2014. Global distribution of Risso's dolphin *Grampus griseus*: A review and critical evaluation. *Mammal Review* 44(1): 56-68. <https://doi.org/10.1111/mam.12008>.
- Jensen, A.S. and G.K. Silber. 2004. Large whale ship strike database. NOAA Technical Memorandum NMFS-OPR-25, National Marine Fisheries Service: 37.
- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America* 126 (1):476-483.
- Katona, S.K., V. Rough, and D.T. Richardson. 1993. A field guide to whales, porpoises, and seals from Cape Cod to Newfoundland. Smithsonian Institution Press, Washington, DC. 316 p
- Kenney, M.K. 1994. Harbor seal population trends and habitat use in Maine. M.Sc. Thesis. University of Maine, Orono, ME. 55 p.
- Kenney, R.D. 1990. Bottlenose dolphins off the northeastern United States. Pages 369–386 in: S. Leatherwood and R. R. Reeves (eds.) *The bottlenose dolphin* Academic Press, San Diego. 653 pp.
- King, C.D., E. Chou, M.L. Rekdahl, S.G. Trabue, and H.C. Rosenbaum. 2021. Baleen whale distribution, behaviour and overlap with anthropogenic activity in coastal regions of the New York Bight. *Marine Biology Research*, pp.1-21.
- Knowlton, A.R. and S.D. Kraus. 2001. Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic Ocean. *Journal of Cetacean Research and Management* 2 (Special Issue): 193-208.
- Knowlton, A.R., J. Beaudin Ring, B. Russell, and New England Aquarium. 2002. Right whale sightings and survey effort in the Mid-Atlantic Region: Migratory corridor, time frame, and proximity to port entrances. Report for the NMFS Ship Strike Working Group. 25 p.

Kraus, S.D., J.H. Prescott and G.S. Stone 1983. Harbor porpoise, *Phocoena phocoena*, in the U.S. coastal waters off the Gulf of Maine: a survey to determine seasonal distribution and abundance. NMFS. NA82FAC00027 22 pp.

Kraus, S.D., S. Leiter, K. Stone, B. Wikgren, C.A. Mayo, P. Hughes, R.D. Kenney, C.W. Clark, A.N. Rice, *et al.* 2016. Northeast Large Pelagic Survey Collaborative Aerial and Acoustic Surveys for Large Whales and Sea Turtles. US Department of the Interior, Bureau of Ocean Energy Management. OCS Study BOEM 2016-054, Sterling, Virginia. 117 + appendices p. <https://www.boem.gov/RI-MA-Whales-Turtles>.

Kremser, U., P. Klemm, and W.-D. Kötz. 2005. Estimating the risk of temporary acoustic threshold shift, caused by hydro-acoustic devices, in whales in the Southern Ocean. *Antarctic Science* 17 (1):3-10.

LaBrecque, E., C. Curtice, J. Harrison, S.M. Van Parijs, and P.N. Halpin. 2015. 2. Biologically Important Areas for Cetaceans within US Waters-East Coast Region. *Aquatic Mammals*, 41(1): p.17-29.

Leatherwood, S., D.K. Caldwell, and H.E. Winn. 1976. Whales, dolphins, and porpoises of the western North Atlantic. A guide to their identification. NOAA Technical Report NMFS Circ. 396.

Mansfield, A.W. 1966. The grey seal in eastern Canadian waters. *Canadian Audubon Magazine* 28: 161-166.

Marine Mammal Stranding Center (MMSN). 2020. Marine Mammal Stranding Center. Accessed on 10 May 2022 at: <https://mmsc.org/>.

Mayo, C.A., L. Ganley, C.A. Hudak, S. Brault, M.K. Marx, E. Burke, and M.W. Brown. 2018. Distribution, demography, and behavior of North Atlantic right whales (*Eubalaena glacialis*) in Cape Cod Bay, Massachusetts, 1998–2013. *Marine Mammal Science* 34(4): 979-996. <https://doi.org/10.1111/mms.12511>.

McGillivray, P.A., K.D. Schwehr and K. Fall 2010. Enhancing AIS to improve whale-ship collision avoidance and maritime security. In: OCEANS 2009, MTS/IEEE Biloxi, Marine technology for our future: Global and local challenges. Institute of Electrical and Electronics Engineers, Piscataway, New Jersey. 8 pp.

Mead, J.G. 1975. Preliminary report on the former net fisheries for *Tursiops truncatus* in the western North Atlantic. *Journal of the Fisheries Board of Canada* 32(7): 1155-1162.

Mead, J.G. and C.W. Potter. 1995. Recognizing two populations for the bottlenose dolphin (*Tursiops truncatus*) off the Atlantic coast of North America: Morphologic and ecologic considerations. *International Biological Research Institute Reports* 5:31–43.

- Mitson, R.B (ed.). 1995. Underwater noise of research vessels: Review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea: 65.
- Moberg, G.P. 1987. Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. *Oxford Reviews in Reproductive Biology*. Oxford University Press, New York, New York.
- Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom
- Morano, J.L., D.P. Salisbury, A.N. Rice, K.L. Conklin, K.L. Falk, and C.W. Clark. 2012. Seasonal changes in fin whale song in the western North Atlantic Ocean. *Journal of the Acoustical Society of America* 132(2): 1207-1212. <https://doi.org/10.1121/1.4730890>.
- Mullin, K.D. and G.L. Fulling. 2003. Abundance of cetaceans in the southern U.S. North Atlantic Ocean during summer 1998. *Fish. Bull.* 101(3):603–613.
- Newhall, A.E., Y.T. Lin, J.F. Lynch, and M.F. Baumgartner. 2009. Sei whale localization and vocalization frequency sweep rate estimation during the New Jersey Shallow Water 2006 experiment. *Journal of the Acoustical Society of America* 125(4): 2738-2738. <https://doi.org/10.1121/1.4784544>.
- NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a Recommended Standard: Occupational Noise Exposure. United States Department of Health and Human Services, Cincinnati, OH.
- NMFS (National Marine Fisheries Service). 2015. Endangered and threatened marine species under NMFS' jurisdiction [Internet]. Available: <http://www.nmfs.noaa.gov/pr/species/esa/listed.htm>. Accessed 18 May 2022.
- NMFS (National Marine Fisheries Service). 2018. 2018 revision to: Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing (Version 2.0). NOAA Technical Memorandum NMFS-OPR-59, National Marine Fisheries Service: 178.
- NMFS (National Marine Fisheries Service). 2020. Interim recommendations for sound source level and propagation analysis for high resolution geophysical (HRG) sources. National Marine Fisheries Service, Office of Protected Resources. 2 April 2020. 5 pp.
- NOAA GARFO. 2021. Programmatic Consultation pursuant to section 7 of the Endangered Species Act (ESA) of 1973, concerning the effects of the certain site assessment and site characterization activities to be carried out to support the siting of offshore wind energy development projects off the U.S. Atlantic coast. Letter from Jennifer Anderson, Assistant Regional Administrator for Protected Resources, NOAA NMFS GARFO to James F. Bennett, Program Manager, Office of Renewable Energy Programs, U.S. Department of the Interior, Bureau of Ocean Energy Management. Published June 29, 2021 (revised September 2021).

NOAA Fisheries (National Oceanic and Atmospheric Administration). 2022a. 2016-2022 Humpback whale unusual mortality event along the Atlantic coast. Accessed on 09 May 2022 at: <https://www.fisheries.noaa.gov/national/marine-life-distress/2016-2022-humpback-whale-unusual-mortality-event-along-atlantic-coast>.

NOAA Fisheries (National Oceanic and Atmospheric Administration). 2022b. Species Directory. Accessed on 09 May 2022 at: <https://www.fisheries.noaa.gov/species-directory>.

Northridge, S., M. Tasker, A. Webb, K. Camphuysen and M. Leopold 1997. White-beaked *Lagenorhynchus albirostris* and Atlantic white-sided dolphin *L. acutus* distributions in northwest European and U.S. North Atlantic waters. *Rep. Int. Whal. Comm.* 47:797-805.

Nowacek, D.P., C.W. Clark, D. Mann, P.J.O. Miller, H.C. Rosenbaum, J.S. Golden, M. Jasny, J. Kraska and B.L. Southall. 2015. Marine seismic surveys and ocean noise: time for coordinated and prudent planning. *Front. Ecol. Environ.* 13:378–386.

Orphanides, C.D. 2019. Estimates of cetacean and pinniped bycatch in the 2016 New England sink and mid-Atlantic Gillnet fisheries. Northeast Fish Sci Cent Ref Doc. 19-04: 12.

Pace R.M., P.J. Corkeron, and S.D. Kraus. 2017. State space estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecol Evol* 7: 8730–8741.

Palka, D. 1995. Influences on spatial patterns of Gulf of Maine harbor porpoises. Pages 69–75 in: A.S. Blix, L. Walloe and O. Ulltang, (eds.) *Whales, Seals, Fish and Man*. Elsevier Science. Amsterdam

Palka, D.L. 2012. Cetacean abundance estimates in US northwestern Atlantic Ocean waters from summer 2011 line transect survey. Northeast Fish. Sci. Cent. Ref. Doc. 12-29. 37 pp. <https://repository.library.noaa.gov/view/noaa/4312>.

Palka, D.L., S. Chavez-Rosales, E. Josephson, D.M. Cholewiak, H.L. Haas, L.P. Garrison, M. Jones, D. Sigourney, G.T. Waring, *et al.* 2017. Atlantic Marine Assessment Program for Protected Species: 2010- 2014. US Department of the Interior, Bureau of Ocean Energy Management, Atlantic OCS Region. OCS Study BOEM 2017-071, Washington, DC. 211 p. <https://espis.boem.gov/final%20reports/5638.pdf>.

Payne, P.M., L.A. Selzer and A.R. Knowlton. 1984. Distribution and density of cetaceans, marine turtles and seabirds in the shelf waters of the northeast U.S., June 1980 - Dec. 1983, based on shipboard observations. National Marine Fisheries Service, Woods Hole. NA81FAC00023: 245.

Payne, P.M. and L.A. Selzer. 1989. The distribution, abundance, and selected prey of the harbor seal, *Phoca vitulina concolor*, in southern New England. *Marine Mammal Science* 5(2): 173-192. <https://doi.org/10.1111/j.1748-7692.1989.tb00331.x>.

Payne, P.M. and D.W. Heinemann. 1993. The distribution of pilot whales (*Globicephala sp.*) in shelf/shelf edge and slope waters of the northeastern United States, 1978-1988. Rep. Int. Whal. Comm. (Special Issue) 14:51–68.

Payne, M. and D. W. Heinemann 1990. A distributional assessment of cetaceans in the shelf and shelf edge waters of the northeastern United States based on aerial and shipboard surveys, 1978–1988. Report to NMFS. [Available from National Marine Fisheries Science Center, 166 Water St., Woods Hole, MA 02543], 108 pp.

Pettis, H.M., R.M. Pace, III, R.S. Schick, and P.K. Hamilton. 2017. North Atlantic Right Whale Consortium 2017 Annual Report Card. Report to the North Atlantic Right Whale Consortium. https://www.narwc.org/uploads/1/1/6/6/116623219/2017_report_cardfinal.pdf.

Potter, C.W. 1979. The marine fauna. Symposium on Endangered and Threatened Plants and Animals of Virginia. 19-20 May 1978, Blacksburg, VA, USA. pp. 595-602.

Potter, C.W. 1984. Marine mammals of Maryland. In Norden, A.W., D.C. Forester, and G.H. Fenwick (eds). Threatened and endangered plants and animals of Maryland. Maryland Natural Heritage Program Publication 84-1, Annapolis, MA, USA. pp. 442-453.

Reeves, R.R., B.S. Stewart, P.J. Clapham, and J.A. Powell. 2002. *Guide to Marine Mammals of the World*. National Audubon Society.

Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* 199(6): 491-507.

Richardson, D.T. 1976. Assessment of harbor and gray seal populations in Maine 1974-1975. Final report for Marine Mammal Commission, Washington, DC.

Richardson, D.T. and V. Rough. 1993. A field guide to whales, porpoises, and seals from Cape Cod to Newfoundland. Smithsonian Institution Press, Washington.

Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, California.

Risch, D., C.W. Clark, P.J. Dugan, M. Popescu, U. Siebert and S.M. VanParijs. 2013. Minke whale acoustic behavior and multi-year seasonal and diel vocalization patterns in Massachusetts Bay, USA. *Mar. Ecol. Prog. Ser.* 489:279–295.

Risch, D., M. Castellote, C.W. Clark, G.E. Davis, P.J. Dugan, L.E.W. Hodge, A. Kumar, K. Lucke, D.K. Mellinger, S.L. Nieukirk, C.M. Popescu, C. Ramp, A.J. Read, A.N. Rice, M.A. Silva, U. Siebert, K.M. Stafford, H. Verdaat and S.M. VanParijs. 2014. Seasonal migrations of North Atlantic minke whales: Novel insights from large-scale passive acoustic monitoring networks. *Mov. Ecol.* 2:24.

Rivier, C., 1995. Influence of immune signals on the hypothalamic-pituitary axis of the rodent. *Frontiers in neuroendocrinology*, 16(2): 151-182.

Roberts, J.J., B.D. Best, L. Mannocci, E. Fujioka, P.N. Halpin, D.L. Palka, L.P. Garrison, K.D. Mullin, T.V.N. Cole, C.B. Khan, W.M. McLellan, D.A. Pabst, and G.G. Lockhart. 2016a. Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6: 22615. doi: 10.1038/srep22615.

Roberts, J.J., L. Mannocci, and P.N. Halpin. 2016b. Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2015-2016 (Base Year). Document version 1.0. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.

Roberts, J.J., L. Mannocci, and P.N. Halpin. 2017. Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2016-2017 (Opt. Year 1). Document version 1.4. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.

Roberts, J.J., L. Mannocci, R.S. Schick, and P.N. Halpin. 2018. Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2017-2018 (Opt. Year 2). Document version 1.2. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.

Roberts, J.J., R.S. Schick, and P.N. Halpin. 2020. Final Project Report: Marine species density data gap assessments and update for the AFTT Study Area, 2018-2020 (Opt. Year 3). Document version 1.4. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC. 142 p.

Roberts J.J., R.S. Schick, and P.N. Halpin. 2021. Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2020 (Option Year 4). Document version 2.1. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.

Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, *et al.* 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences* 61:1124-1134.

Rone, B.K. and R.M. Pace, III. 2012. A simple photograph-based approach for discriminating between free-ranging long-finned (*Globicephala melas*) and short-finned (*G. macrorhynchus*) pilot whales off the east coast of the United States. *Mar. Mamm. Sci.* 28(2): 254–275.

Rosel, P.E., L. Hansen and A.A. Hohn. 2009. Restricted dispersal in a continuously distributed marine species: Common bottlenose dolphins *Tursiops truncatus* in coastal waters of the western North Atlantic. *Mol. Ecol.* 18:5030–5045.

- Rosenfeld, M., M. George, and J.M. Terhune. 1988. Evidence of autumnal harbour seal, *Phoca vitulina*, movements from Canada to the United States. *Canadian Field-Naturalist* 102(3): 527-529.
- Rowlett, R.A. 1980. Observations of marine birds and mammals in the northern Chesapeake Bight. Document Number FWS/OBS-80/04. Report by US Fish and Wildlife Service, Washington, DC, USA.
- Schneider, D.C. and P.M. Payne. 1983. Factors affecting haul-out of harbor seals at a site in southeastern Massachusetts. *Journal of Mammalogy* 64(3): 518-520.
<https://doi.org/10.2307/1380370>.
- Scott, T.M. and S.S. Sadove. 1997. Sperm whale, *Physeter macrocephalus*, sightings in the shallow shelf waters off Long Island, New York. *Marine Mammal Science* 13(2): 317-321.
<https://doi.org/10.1111/j.1748-7692.1997.tb00636.x>.
- Schroeder, C.L. 2000. Population status and distribution of the harbor seal in Rhode Island waters. M.S. Thesis. University of Rhode Island, Narragansett, RI. 197 p.
- Selzer, L.A. and P.M. Payne. 1988. The distribution of white-sided (*Lagenorhynchus acutus*) and common dolphins (*Delphinus delphis*) vs. environmental features of the continental shelf of the northeastern United States. *Marine Mammal Science* 4(2): 141–153.
- Sergeant, D.E., A.W. Mansfield and B. Beck. 1970. Inshore records of Cetacea for eastern Canada, 1949–68. *J. Fish. Res. Board Can.* 27:1903–1915.
- Seyle, H. 1950. Stress and the general adaptation syndrome. *British Medical Journal* June 17:1383-1392.
- Sieswerda, P.L., C.A. Spagnoli, and D.S. Rosenthal. 2015. Notes on a new feeding ground for humpback whales in the Western New York Bight. Southeast and Mid-Atlantic Marine Mammal Symposium. 27- 29 Mar 2015, Virginia Beach, VI.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, *et al.* 1999. An oceanbasin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science* 15 (1):11689.
- Sousa, A., F. Alves, A. Dinis, J. Bentz, M.J. Cruz and J.P. Nunes. 2019. How vulnerable are cetaceans to climate change? Developing and testing a new index. *Ecol. Indic.* 98:9–18.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, *et al.* 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals* 33(4): 411-521.
- Southall, B.L., J.J. Finneran, C.J. Reichmuth, P.E. Nachtigall, D.R. Ketten, A.E. Bowles, W.T. Ellison, D.P. Nowacek, and P.L. Tyack. 2019. Marine Mammal Noise Exposure Criteria:

Updated Scientific Recommendations for Residual Hearing Effects. *Aquatic Mammals* 45(2): 125-232. <https://doi.org/10.1578/AM.45.2.2019.125>.

Southall, B.L., D.P. Nowacek, A.E. Bowles, V. Senigaglia, L. Bejder, and P.L. Tyack. 2021. Marine Mammal Noise Exposure Criteria: Assessing the Severity of Marine Mammal Behavioral Responses to Human Noise. *Aquatic Mammals* 47(5): 421-464. DOI 10.1578/AM.47.5.2021.421

Spalding, M.D., H.E. Fox, G.R. Allen, N. Davidson, Z.A. Ferdaña, M. Finlayson, B.S. Halpern, M.A. Jorge, A. Lombana, *et al.* 2007. Marine Ecoregions of the World: A Bioregionalization of Coastal and Shelf Areas. *BioScience* 57(7): 573-583. <https://doi.org/10.1641/B570707>.

Stevick, P.T., J. Allen, P.J. Clapham, N. Friday, S.K. Katona, F. Larsen, *et al.* 2003. North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling. *Marine Ecology Progress Series* 258: 263-273.

Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan, and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Marine Mammal Science* 9: 309-315.

Thorne, L.H., H.J. Foley, R.W. Baird, D.L. Webster, Z.T. Swaim and A.J. Read. 2017. Movement and foraging behavior of short-finned pilot whales in the Mid-Atlantic Bight: Importance of bathymetric features and implications for management. *Mar. Ecol. Prog. Ser.* 584:245–257.

Ulmer, F.A.J. 1981. New Jersey's dolphins and porpoises. New Jersey Audubon Society Occasional Paper 137.

Urick, R.J., 1975. A Statistical Model for the Fluctuation of Sound Transmission in the Sea (No. NSWC/WOL/TR-75-18). Naval Surface Weapons Center, White Oak Lab, Silver Spring, MD.

U.S. Fish & Wildlife Service (USFWS). 2019. West Indian manatee, Department of Interior, Accessed on 18 May 2022 at: www.fws.gov/southeast/wildlife/mammals/manatee/.

Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. Encyclopedia of Acoustics, Volume III. John Wiley & Sons, New York.

Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2016. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2015. NOAA Technical Memorandum.

Waring, G.T., E. Josephson, C.P. Fairfield, and K. Maze-Foley, eds. 2007a. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments -- 2006. NOAA Tech Memo NMFS NE 201; 378 p.

Waring, G.T., E. Josephson, C.P. Fairfield-Walsh, and K. Maze-Foley, eds. 2007b. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments -- 2007. NOAA Tech Memo NMFS NE 205; 415 p.

Wartzok, D. and D.R. Ketten. 1999. Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds and S.A. Rommel, eds. *Biology of Marine Mammals*. Smithsonian Institution Press, Washington.

Watkins, W.A., P.L. Tyack, K.E. Moore, and J.E. Bird. 1987. The 20-Hz signals of finback whales (*Balaenoptera physalus*). *Journal of the Acoustical Society of America* 82(6): 1901–1912. <https://doi.org/10.1121/1.395685>.

Whitehead, H. 2002. *Sperm whales: Social evolution in the ocean*. University of Chicago Press, Chicago, Illinois. 431 pp.

Whitman, A.A. and P.M. Payne. 1990. Age of harbour seals, *Phoca vitulina concolor*, wintering in southern New England. *Canadian Field-Naturalist* 104(4): 579-582.

Whitt, A.D., K. Dudzinski, and J.R. Laliberté. 2013. North Atlantic right whale distribution and seasonal occurrence in nearshore waters off New Jersey, USA, and implications for management. *Endangered Species Research* 20(1): 59-69. <https://doi.org/10.3354/esr00486>.

Wilson, S.C. 1978. *Social Organization and Behavior of Harbor Seals, Phoca Vitulina Concolor, in Maine*. Final Report to US Marine Mammal Commission in Fulfillment of Contract MM6AC013. 103 p.

Winn, H.E., E.A. Scott, and R.D. Kenney. 1985. Aerial surveys for right whales in the Great South Channel, Spring 1984. Report by Graduate School of Oceanography, University of Rhode Island for the US Marine Mammal Commission.